

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)[Sign in](#)[Google](#)[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 28,700 for node +update +counter +confirmation +storage. (0.24 seconds)Did you mean: node +update +counter +information +storageRelease Notes for McAfee(R) GroupShield(TM) version 6.0.2 ...

When an update occurs with this service logon account on the active node of the ... 8. At the confirmation request, click 'Yes' to clear the cache memory. ...

[download.nai.com/products/evaluation/groupshield/english/exchange/v6.02/Readme.txt](#) - 42k

- [Cached](#) - [Similar pages](#)

System and method for checking authorization of remote ...

Configurable or updatable data entities stored in impermanent storage space 40 preferably includes an instance counter 46 and a configurable parameters set ...

[www.patentstorm.us/patents/6647494-description.html](#) - 39k - [Cached](#) - [Similar pages](#)

Long-term storage of controller performance - Patent 5410545

A memory node, such as memory node 26, may include a memory controller 36 and

ERROR field is a counter for detected XML corrected confirmation errors. ...

[www.freepatentsonline.com/5410545.html](#) - 58k - [Cached](#) - [Similar pages](#)

[PDF] arXiv:0805.0785v2 [cs ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

May 7, 2008 ... the source-node. The confirmation-packet for a packet without an attack ...

Infrastructure must be for each connection some storage-space ...

[arxiv.org/pdf/0805.0785](#) - [Similar pages](#)

TierStore: A Distributed Filesystem for Challenged Networks in ...

Several existing systems offer distributed storage services with varying network Each node increments a local update counter after every new object ...

[www.cs.berkeley.edu/~bowei/papers/tierstore/html/index.html](#) - 85k - [Cached](#) - [Similar pages](#)

[PDF] Securing Shared Untrusted Storage by using TPM 1.2 Without ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Then, whenever one of her devices wishes to write or update her. data, the device first increments the dedicated counter and then stores, in the storage ...

[csg.csail.mit.edu/pubs/memos/Memo-498/memo498.pdf](#) - [Similar pages](#)

Route update and repair in wireless sensor networks - Consumer ...

other nodes have to increase the counter by one before sending. the packet out. problem, the additional storage of backup routing entries ...

[ieeexplore.ieee.org/iel5/9037/28685/01286837.pdf](#) - [Similar pages](#)

Distributed computer database system and method - Patent 5694593

The UPDATE--TASK first deletes the content label from secondary storage (600) and then sets the variables TASK--COUNTER (604) and NODE--NUMBER (608) to zero ...

[www.patentmonkey.com/PM/patentid/5694593.aspx](#) - 66k - [Cached](#) - [Similar pages](#)

Table Column Reference AD Ref Table Reference List Window Tab ...

... Task Trl Task Instance Reference Trl Field Trl Node Node Trl Node Transition ... Move Confirm RV_PrintFormatDetail Ship/Receipt Confirmation Import Line ...

[https://svn.bitsoftware.ro:8443/dev/SocrateOpen/trunk/data/en_US/AD_Table_Trl_en_US.xml](#)

- 54k - [Cached](#) - [Similar pages](#)

[PDF] Semantic Cooperation and Node Sharing Among P2P Networks

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The G-ROME enabled server has three storage components: the Node Pool (pool
receiving the answer, it sends back a confirmation to the responder that it ...

personal.cs.surrey.ac.uk/personal/pg/G.Exarchakos/publications/final_grome.pdf -

[Similar pages](#)

Did you mean to search for: node +update +counter +*information* +storage

1 2 3 4 5 6 7 8 9 10 Next

node +update +counter +confirmation +storage

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve | Try Google Experimental

Google Home - Advertising Programs - Business Solutions - Privacy - About Google